



ELSEVIER

Analytica Chimica Acta 422 (2000) 239–240

ANALYTICA
CHIMICA
ACTA

www.elsevier.com/locate/aca

Author Index

- Abeln, S.P., see Su, Y. 209
Akarca, U.S., see Erdem, A. 139
- Betts, T.A.
—, Tipple, C.A., Sepaniak, M.J. and Datskos, P.G.
Selectivity of chemical sensors based on micro-cantilevers coated with thin polymer films 89
Bonelli, B., see Bruzzoniti, M.C. 231
Brusseau, M.L., see Yolcubal, I. 121
Bruzzoniti, M.C.
—, Mentasti, E., Sarzanini, C., Onida, B., Bonelli, B. and Garrone, E.
Retention properties of mesoporous silica-based materials 231
Burns, D.T.
— and Doolan, K.P.
A comparison of pyrolysis-gas chromatography-mass spectrometry and Fourier transform infrared spectroscopy for the analysis of a series of modified alkyd paint resins 217
Burns, D.T.
—, Tungkuanuruk, N. and Janewongpaisan, S.
Spectrophotometric determination of tantalum by extraction as tetrabutylammonium hexathiocyanatotantalate(V) 199
- Civiš, S., see Zelinger, Z. 179
Coichev, N., see Pedrotti, J.J. 131
- Datskos, P.G., see Betts, T.A. 89
Doolan, K.P., see Burns, D.T. 217
Duan, Y., see Su, Y. 209
- Erdem, A.
—, Kerman, K., Meric, B., Akarca, U.S. and Ozsoz, M.
Novel hybridization indicator methylene blue for the electrochemical detection of short DNA sequences related to the hepatitis B virus 139
- Fang, Z.-L., see Fu, C.-G. 71
Ferreira, M.M.C., see Reis, M.M. 21
Fu, C.-G.
— and Fang, Z.-L.
Combination of flow injection with capillary electrophoresis. Part 7. Microchip capillary electrophoresis system with flow injection sample introduction and amperometric detection 71
- Garrone, E., see Bruzzoniti, M.C. 231
- Gavrieli, I., see Halicz, L. 203
Gurden, S.P., see Reis, M.M. 21
Gutz, I.G.R., see Pedrotti, J.J. 131
- Halicz, L.
—, Segal, I., Gavrieli, I., Lorber, A. and Karpas, Z.
Determination of the $^{234}\text{U}/^{238}\text{U}$ ratio in water samples by inductively coupled plasma mass spectrometry 203
Hansen, E.H., see Nielsen, S.C. 47
Hao, Y.-M.
— and Shen, H.-X.
Simple and sensitive determination of nucleic acids using palladium(II) complex with 2-(2-thiazolylazo)-5-dimethylaminobenzoic acid 159
Hardy, J.K., see Tan, B. 37
Hilhorst, R., see Osman, A.M. 81
Huang, F., see Wang, M. 151
- Jakusch, M., see Vogt, F. 187
Janewongpaisan, S., see Burns, D.T. 199
Jin, D.
— and Pardue, H.L.
Algorithms for time-dependent chromatographic peak areas. I. Algorithms evaluated for fully resolved peaks 1
Algorithms for time-dependent chromatographic peak areas. II. Resolution of overlapped chromatograms for two- and three-component samples 11
Jin, Z., see Su, Y. 209
- Karpas, Z., see Halicz, L. 203
Kerman, K., see Erdem, A. 139
Kim, I.S.
—, Setford, S.J. and Saini, S.
Determination of polychlorinated biphenyl compounds in electrical insulating oils by enzyme immunoassay 167
Koby, M., see Su, Y. 209
Kubát, P., see Zelinger, Z. 179
- Laane, C., see Osman, A.M. 81
Lendl, B., see LeThanh, H. 63
LeThanh, H.
— and Lendl, B.
Sequential injection Fourier transform infrared spectroscopy for the simultaneous determination of organic acids and sugars in soft drinks employing automated solid phase extraction 63

- Lima, S., see Pedrotti, J.J. 131
Lorber, A., see Halicz, L. 203
- Maier, R.M., see Yolcubal, I. 121
Majidi, V., see Su, Y. 209
Mentasti, E., see Bruzzoniti, M.C. 231
Meric, B., see Erdem, A. 139
Mizaikoff, B., see Vogt, F. 187
- Nielsen, S.C.
— and Hansen, E.H.
Interfacing flow injection analysis (sequential injection analysis) and electro-thermal atomic absorption spectrometry determination of trace-levels of Cr(VI) via on-line pre-concentration by adsorption in a knotted reactor and by liquid-liquid extraction 47
- Olivares, J.A., see Su, Y. 209
Onida, B., see Bruzzoniti, M.C. 231
Osman, A.M.
—, Hilhorst, R. and Laane, C.
Chemiluminescent determination of Ce(IV) using Cypridina luciferin analog 81
- Ouyang, S.
— and Vairavamurthy, M.A.
Effect of magnesium ion in the analysis of carboxylated compounds by electrospray-mass spectrometry 101
- Ozsoz, M., see Erdem, A. 139
- Pardue, H.L., see Jin, D. 1, 11
Peck, G.A.
— and Smith, J.D.
Determination of ^{210}Po and ^{210}Pb in rainwater using measurement of ^{210}Po and ^{210}Bi 113
- Pedrotti, J.J.
—, Lima, S., Coichev, N. and Gutz, I.G.R.
Overcoming oxygen quenching in fluorescence spectrometry with a highly efficient in-line degassing device interfaced with a flow cell 131
- Piatt, J.J., see Yolcubal, I. 121
Pierce, S.A., see Yolcubal, I. 121
- Reis, M.M.
—, Gurden, S.P., Smilde, A.K. and Ferreira, M.M.C.
Calibration and detailed analysis of second-order flow injection analysis data with rank overlap 21
- Saini, S., see Kim, I.S. 167
Sarzanini, C., see Bruzzoniti, M.C. 231
Segal, I., see Halicz, L. 203
Sepaniak, M.J., see Betts, T.A. 89
Setford, S.J., see Kim, I.S. 167
Shen, H.-X., see Hao, Y.-M. 159
Smilde, A.K., see Reis, M.M. 21
Smith, J.D., see Peck, G.A. 113
Snavely, R.E., see Tan, B. 37
Střizák, M., see Zelinger, Z. 179
- Su, Y.
—, Jin, Z., Duan, Y., Koby, M., Majidi, V., Olivares, J.A. and Abeln, S.P.
Highly sensitive beryllium detection with microwave plasma source atomic emission spectrometry 209
- Tacke, M., see Vogt, F. 187
Tan, B.
—, Hardy, J.K. and Snavely, R.E.
Accelerant classification by gas chromatography/mass spectrometry and multivariate pattern recognition 37
- Tipple, C.A., see Betts, T.A. 89
Tungkananuruk, N., see Burns, D.T. 199
- Vairavamurthy, M.A., see Ouyang, S. 101
Vogt, F.
—, Tacke, M., Jakusch, M. and Mizaikoff, B.
A UV spectroscopic method for monitoring aromatic hydrocarbons dissolved in water 187
- Wang, M.
—, Yang, J., Wu, X. and Huang, F.
Study of the interaction of nucleic acids with acridine red and CTMAB by a resonance light scattering technique and determination of nucleic acids at nanogram levels 151
- Wu, X., see Wang, M. 151
- Yang, J., see Wang, M. 151
Yolcubal, I.
—, Piatt, J.J., Pierce, S.A., Brusseau, M.L. and Maier, R.M.
Fiber optic detection of in situ *lux* reporter gene activity in porous media: system design and performance 121
- Zelinger, Z.
—, Střizák, M., Kubát, P. and Civiš, S.
Quantitative analysis of trace mixtures of toluene and xylenes by CO_2 laser photoacoustic spectrometry 179